

RESIDENT INPUT SUMMARY  
Ed Reidy, Superintendent of Parks  
1/16/19 to 2/19/19

**Old Business**

- 7/16 – A Lake of the Glens resident called to thank us for repaving the walking path, and also inquired about a gap between the new asphalt and the grass that was removed.
  - I left a message informing the caller that the project was ongoing and gaps would be addressed shortly.
  - Update – Filling of gaps has begun.
  - Staff continue to work on this project, with two loads of pulverized black dirt delivered to our yard on November 14.
  - Week of November 19 - Staff filled gaps with dirt, however 2 of the 5 loads we received were wet, clumpy, and difficult to spread.
  - We received 4 phone calls from Brookside Glen residents expressing concerns about the dirt left on the path from the project. I spoke with 3 of the 4 callers, and left a message for the 4<sup>th</sup> caller. I assured the residents that the project was not yet complete, and staff will continue to remove dirt from the asphalt. Grass seed will be planted in the spring and we will continue filling the gaps with dirt and seed as soon as pulverized black dirt is available.
  - Week of November 26 – Staff removed dirt from the path with the rubber edge plow, the large broom attachment on the Skid Steer, and the new backpack blower.
  - December 3 – Staff re-swept the path with the large broom attachment on the Skid Steer.

***Nothing new to report***

- 8/1 – An Indian Boundary South resident's son called to ask about standing water behind his mother's fence. We discussed a drainage project the District has been planning for some time that will address the low wet area. I told him it would most likely be a late fall / early winter project.
  - Our directional bore contractor will provide an estimate to run a line under the path and daylight out on the bottom of the hill.
  - November 26 – The catch basin was ordered.
  - November 29 – The J.U.L.I.E. (utility locate) was requested.

***Nothing new to report***

**New Business:**

- 1/17 – Wildcats Football informed us that we left one of the yellow warning lights on in a snow plow truck. I thanked the individual for the information
  - 1/17 Maintenance staff discussed double checking all lights before leaving for the day.
- 1/21– F.A.N. staff reported a water leak at the LWN aquatic office and the foyer.
  - 1/21 I forwarded the message to LWCHSD
  - 1/22 Lincoln-Way maintenance were fixing the leak in the foyer, but could not find a leak in the aquatics ceiling.
- 2/1– A resident on the bike path along Frankfort Square Road flagged my down while I was plowing. We discussed the path along the front of his townhome, as we have in past years. We talked about cars parked in their driveways that block the path, and as a result, these cars make it difficult for Park staff to finish the path. I left him with “we will keep an eye on the path, and as cars come and go, we will do our best to plow different sections of the path.”
  - 2/18 The resident called the front office to state his path still was not finished 100%. We plowed some, but not all, due to cars parked in their driveways that block the path. The entire path was plowed by the end of the day.
- 2/18– I received an email from a resident stating the American flag at the Union Creek football scoreboard was tattered and should be replaced.
  - 2/18 The flag was removed and will be replaced in the spring.